

#### Cynap Videobar System



# All-in-one hybrid meeting room AV solution

Cynap Videobar: Wireless presentation, web conferencing & collaboration



The Cynap Videobar is an all-in-one wireless presentation, web conferencing and collaboration system for meeting rooms. It combines award-winning Cynap wireless screen sharing technology together with a high-quality web conferencing camera, built-in speaker system, and microphone, to provide a single, high-performance, multi-functional AV system. It offers plug-and-play integration, and is suitable for use in small or medium-sized meeting rooms and huddle spaces.


We've partnered with leading German audio specialist Fohhn, to incorporate a high-quality speaker system into the Cynap Videobar. Exceptionally natural speech is reproduced throughout the entire room, and extended low frequency reproduction also ensures outstanding sound quality when playing media files or music. It is the ideal all-in-one AV solution to enhance both room-based and hybrid meeting environments.







# Cynap Videobar: Where clarity meets collaboration



#### High performance speaker system by Fohhn


Our superb speaker system by Fohhn ensures that remote participants are clearly heard in the meeting room, providing a sense of presence and allowing for equal participation.

This is crucial in hybrid meetings where ensuring that remote voices are as prominent and clear as in-room voices helps in maintaining true collaborative equity and engagement among all participants.

#### WolfVision imaging technology for crystal clear, tack sharp video

WolfVision is world-renowned for its impressive camera technology, and the Cynap Videobar is no exception - it's equipped with a new 4K UHD AI camera with autoframing, delivering crystal clear on-screen video, for an outstanding hybrid meeting experience for everybody.





#### Outstanding beamforming microphone array with WolfVision Advanced Voice-Processing Engine

With a pick-up range of up to 7 metres, an adaptive beamforming microphone array with noise suppression, automatic gain control and acoustic echo cancellation, together with the WolfVision Advanced Voice-Processing Engine (WAVE), ensure unrivalled sound pickup and reproduction.

#### BYOM web meetings: Use any conferencing service you like

Any web conferencing service can be used, and meeting hosts simply use their own laptop running our vSolution App to connect wirelessly to the videobar, and then start or join web meetings directly from their own device. It's really easy to use, and all in-room AV equipment is controlled using a single app.



# Supporting our changing workplace!

#### Whiteboarding & Annotation tools



Add to your content material using our annotation feature - or use the built-in whiteboard to note down your ideas. Pin material such as output from a connected camera or Visualizer to the screen, or use the mind map function for a superb collaborative experience.

#### 4K UHD output resolution



4K UHD output resolution at 60 frames per second ensures that on-screen content from any device always looks superb, and the innovative touchback feature gives you latency-free remote control of your laptop while working at the main screen.

## Enterprise level security



Network security is a key consideration, and our custom-built, closed, Linux system offers 100% wireless data encryption, IEEE802.1x authentication, plus customisable security features to give you exactly the level of protection you require.

# Professional integration



The Cynap Videobar can be set up and used immediately. Settings are easy to configure, and customisable room control API modules are available to ensure professional integration, whatever your requirements.

### Remote management & administration



vSolution Link Pro software is supplied free of charge, facilitating easy remote setup, monitoring, management, and updating of multiple systems across multiple locations.

# Built-in wireless screen sharing!



Cynap BYOD wireless presentation technology supports AirPlay, Miracast, and Chromecast for quick and easy connection and sharing of content, both locally, and into web conferences from any laptop, smartphone or tablet.

#### Live Viewer Mode



Encourage collaborative working and learning using the unique browser-based Live Viewer Mode, which enables multiple users to receive on-screen content wirelessly from the main display onto their own personal devices for easy viewing.


## Digital signage player



The screensaver can display user-defined content either from a web URL, or locally stored HTML code.It's really easy to display additional content such as a welcome message and meeting agenda in a conference room, or a set of instructions in a classroom.

# The all-in-one BYOM advantage

Take your hybrid meeting room solution to the next level



Guests in the meeting can easily share their content onscreen for all in-room and remote participants to view.

### Your meetings the way you want!



Use your own laptop to run a video conference by connecting wirelessly to the Cynap Videobar. This ensures a productive, familiar working environment, and the installed in-room equipment delivers a professional high-quality hybrid meeting.

## Maximum system Compatibility



Ensure compatibility across all components using our all-in-one Cynap Videobar. Eliminate the need for multiple USB-C connections, and opt for efficient installation that gets your meeting room operational faster, is easier to administer.

### Platform-agnostic web conferencing



In contrast to some solutions, our all-in-one 'bring your own meeting' solution gives you the flexibility to use any conferencing platform you want without introducing restrictions in overall functionality.

### Supporting collaborative equity!



The Cynap Videobar impresses with its integrated screen mirroring capability that makes it simple for content from any laptop, smartphone or tablet PC in the room to be shared with both local and remote meeting participants.

#### **Technical specifications**

Output resolution 2160p60/3  Microphones Beamform (WAVE)  Loudspeakers (by Fohhn) 2 x 70W, 2  Frequency response tbc.  SNR (Signal-to-noise ratio) >110dB  EQ adjustment for room optimisation Yes  BYOM (Bring Your Own Meeting) web conferencing Yes  Supported devices for wireless screen sharing (Up to 4K depending on device) iOS, iPadC  Supported screen mirroring protocols AirPlay, Mi  Max. no. of onscreen windows 4  Touchback functionality Yes, for Wireless Airplay  Touchback functionality Yes, for Wireless	mera. 120° FOV, auto-framing and speaker tracking 0, 1080p60/30, 720p60 ng Microphone Array with 4x MEMS microphones, WolfVision Advanced Voice-Processing Engine x 4" chassis, with coaxial high frequency diffraction waveguide and bass-reflex port  S, Android, Windows, macOS, Chrome OS acast, Chromecast, vSolution Cast
Output resolution 2160p60/3  Microphones Beamform (WAVE)  Loudspeakers (by Fohhn) 2 x 70W, 2  Frequency response tbc.  SNR (Signal-to-noise ratio) >110dB  EQ adjustment for room optimisation Yes  BYOM (Bring Your Own Meeting) web conferencing Yes  Supported devices for wireless screen sharing (Up to 4K depending on device) iOS, iPadC  Supported screen mirroring protocols AirPlay, Mi  Max. no. of onscreen windows 4  Touchback functionality Yes, for Wi  Presentation modes Protected I  Whiteboard and annotation Yes	0, 1080p60/30, 720p60  ng Microphone Array with 4x MEMS microphones, WolfVision Advanced Voice-Processing Engine  x 4" chassis, with coaxial high frequency diffraction waveguide and bass-reflex port  S, Android, Windows, macOS, Chrome OS
Microphones Beamform (WAVE)  Loudspeakers (by Fohhn) 2 x 70W, 2  Frequency response tbc.  SNR (Signal-to-noise ratio) >110dB  EQ adjustment for room optimisation Yes  BYOM (Bring Your Own Meeting) web conferencing Yes  Supported devices for wireless screen sharing (Up to 4K depending on device) iOS, iPadC  Supported screen mirroring protocols AirPlay, Mi  Max. no. of onscreen windows 4  Touchback functionality Yes, for Wi  Presentation modes Protected if  Whiteboard and annotation Yes	ng Microphone Array with 4x MEMS microphones, WolfVision Advanced Voice-Processing Engine  x 4" chassis, with coaxial high frequency diffraction waveguide and bass-reflex port  S, Android, Windows, macOS, Chrome OS
Loudspeakers (by Fohhn) 2 x 70W, 2 Frequency response tbc.  SNR (Signal-to-noise ratio) >110dB  EQ adjustment for room optimisation Yes  BYOM (Bring Your Own Meeting) web conferencing Yes  Supported devices for wireless screen sharing (Up to 4K depending on device) iOS, iPadC  Supported screen mirroring protocols AirPlay, Mi  Max. no. of onscreen windows 4  Touchback functionality Yes, for Wireless to the following on device in the following of the following in	x 4" chassis, with coaxial high frequency diffraction waveguide and bass-reflex port  S, Android, Windows, macOS, Chrome OS
Loudspeakers (by Fohhn)       2 x 70W, 2         Frequency response       tbc.         SNR (Signal-to-noise ratio)       >110dB         EQ adjustment for room optimisation       Yes         BYOM (Bring Your Own Meeting) web conferencing       Yes         Supported devices for wireless screen sharing (Up to 4K depending on device)       iOS, iPadC         Supported screen mirroring protocols       AirPlay, Mi         Max. no. of onscreen windows       4         Touchback functionality       Yes, for Wi         Presentation modes       Protected I         Whiteboard and annotation       Yes	S, Android, Windows, macOS, Chrome OS
SNR (Signal-to-noise ratio) >110dB EQ adjustment for room optimisation Yes BYOM (Bring Your Own Meeting) web conferencing Yes Supported devices for wireless screen sharing (Up to 4K depending on device) iOS, iPadC Supported screen mirroring protocols AirPlay, Mi Max. no. of onscreen windows 4 Touchback functionality Yes, for Wi Presentation modes Protected I Whiteboard and annotation Yes	
EQ adjustment for room optimisation  Yes  BYOM (Bring Your Own Meeting) web conferencing  Yes  Supported devices for wireless screen sharing (Up to 4K depending on device)  Supported screen mirroring protocols  Max. no. of onscreen windows  4  Touchback functionality  Yes, for Windeboard and annotation  Yes  Whiteboard and annotation	
BYOM (Bring Your Own Meeting) web conferencing Yes Supported devices for wireless screen sharing (Up to 4K depending on device) iOS, iPadC Supported screen mirroring protocols AirPlay, Mi Max. no. of onscreen windows 4 Touchback functionality Yes, for Wi Presentation modes Protected Whiteboard and annotation Yes	
Supported devices for wireless screen sharing (Up to 4K depending on device) iOS, iPadC Supported screen mirroring protocols AirPlay, Mi Max. no. of onscreen windows 4  Touchback functionality Yes, for Wi Presentation modes Protected Whiteboard and annotation Yes	
Supported screen mirroring protocols  Max. no. of onscreen windows  4  Touchback functionality  Yes, for Win  Presentation modes  Whiteboard and annotation  Yes	
Supported screen mirroring protocols  Max. no. of onscreen windows  4  Touchback functionality  Yes, for Windows  Presentation modes  Whiteboard and annotation  Yes	acast, Chromecast, vSolution Cast
Max. no. of onscreen windows     4       Touchback functionality     Yes, for Windows       Presentation modes     Protected       Whiteboard and annotation     Yes	
Touchback functionality Yes, for Wi Presentation modes Protected   Whiteboard and annotation Yes	
Presentation modes Protected Whiteboard and annotation Yes	ndows (Miracast & vSolution Cast), macOS via vSolution App
Whiteboard and annotation Yes	Mode, Open Mode
Digital signage function and screensaver Yes	
	and on premise
Live Viewer Mode (browser-based live view of onscreen content on own device)  Yes	
Bluetooth device discovery Yes	
	Access Point Mode / 2.4 and 5 GHz in Infrastructure Mode
Network protocols TCP/IP, HT	Access Point Mode / 2.4 and 5 GHz in Infrastructure Mode  TP, HTTPS, SNTP/NTP, SSL, SSH, UDP
	c (IP address, Subnet mask, Default gateway, DNS server), Proxy, Interface priority  X / WEP, WPA2, WPA2 Enterprise or IEEE 802.1X  display, web interface, room control system, keyboard/mouse, vSolution App  But the state of t
······································	X / WEP, WPA2, WPA2 Enterprise or IEEE 802.1X
	display, web interface, room control system, keyboard/mouse, vSolution App
Peripheral device control Yes	
	, HDMI Out x1, USB-A 2.0 x1; USB-C 3.0 x1, LAN port x1
Audio Inputs / Audio Outputs 3.5mm Lin	
Free firmware updates Yes	
Dimensions in operation (L x W x H) 782 x 92 x	147 mm (30,79 x 3,62 x 5,79")
Weight tbc.	
Power consumption Max 100W	
	oly, wall mount
	mote control
Free firmware updates Yes	
Limited Warranty 3 years (op	
Made in EU   Austri	147 mm (30,79 x 3,62 x 5,79")  Lip, wall mount  mote control  tional warranty extension up to 5 years)  8 Germany







#### Head Office:

UK Sales Office

WolfVision UK Ltd.

uk@wolfvision.com

Tel. +44 1628 968660

WolfVision GmbH 6833 Klaus / Austria Tel. +43 5523 52250 wolfvision@wolfvision.com

> Middle East Sales Office WolfVision Middle East (Dubai) Tel. +971 5617 40008 middle-east@wolfvision.com

Japan Sales Office

WolfVision Co. Ltd.

Tel. +81 3 6233 9465

japan@wolfvision.com

USA Sales Office WolfVision, Inc. Tel. +1 770 931 6802 usa@wolfvision.com

Asia Sales Office WolfVision Pte. Ltd. (Singapore) Tel. +65 6636 1268 asia@wolfvision.com Switzerland Sales Office WolfVision Switzerland Tel. +41 71 571 38 00 switzerland@wolfvision.com

Germany Sales Office WolfVision GmbH Tel. +43 5523 52250 germany@wolfvision.com Nordic Sales Office WolfVision Nordic (Norway) Tel. +47 9186 9736 nordic@wolfvision.com

India Sales Office WolfVision India Tel. +91 9136009722 india@wolfvision.com